

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-29. (canceled)

30. (currently amended) The ~~section claimed in claim 47~~ electrical wiring trunking claimed in claim 43, wherein each hole precursor is a blind hole whose bottom is constituted by a continuous web.

31. (previously presented) The section claimed in claim 47 wherein at least one of said hole precursors has an oblong shape.

32. (canceled)

33. (currently amended) The ~~section claimed in claim 47~~ electrical wiring trunking claimed in claim 43, wherein each hole precursor is a through-hole surrounded by a continuous annular web.

34. (previously presented) The section claimed in claim 33 wherein the hole precursor has an oblong shape.

35. (canceled)

36. (currently amended) ~~The section claimed in claim 47~~  
electrical wiring trunking claimed in claim 43, wherein each  
hole precursor is a closed contour formed by a succession of blind openings along the periphery of the hole.

37. (previously presented) The section claimed in claim 36 wherein the hole precursor has an oblong shape.

38. (canceled)

39. (currently amended) ~~The section claimed in claim 47~~ An  
electrical wiring trunking comprising a cover and a base  
portion, said base portion being constituted by a thermoplastics  
material section having a U-shaped cross section and comprising  
a wall having two longitudinal edges and two flanges each  
extending transversely to said wall and each joined to a  
respective longitudinal edge of said wall, wherein:

said section contains a longitudinal succession of mechanically weakened areas, each mechanically weakened area being a precursor for a hole having a closed periphery, and wherein each  
hole precursor is a closed contour formed by a succession of through-openings located along the periphery of the hole.

40. (previously presented) The section claimed in claim 39 wherein the hole precursor has an oblong shape.

41. (canceled)

42. (previously presented) The section claimed in claim 47 wherein each hole precursor has an oblong shape.

43. (previously presented) An electrical wiring trunking comprising a cover and a base portion constituted by a thermoplastics material section according to claim 47.

44. (currently amended) ~~The section claimed in claim 47~~  
electrical wiring trunking claimed in claim 43, wherein each  
hole precursor is a closed contour formed by a groove.

45. (currently amended) An electrical wiring trunking comprising a base portion constituted by a plastic material section according to claim 47, wherein ~~each~~ at least some of said hole precursors ~~is~~ are adapted to receive a fixation screw.

46. (canceled)

47. (currently amended) A thermoplastics material section having a U-shaped cross section and comprising a wall having two longitudinal edges and two flanges each extending transversely to said wall and each joined to a respective longitudinal edge of said wall, wherein:

said section contains a longitudinal succession of mechanically weakened areas, each mechanically weakened area being a precursor for a hole having a closed periphery; and

at least one of said precursors consists of one of:

a blind hole whose bottom is constituted by a continuous web;

a through-hole surrounded by a continuous annular web; and

a closed contour formed by a groove, or by a succession of blind openings ~~or by a succession of through openings~~ located along the periphery of the hole.

Appln. No. 09/960,647

Amd. dated March 22, 2005

Reply to Office Action of September 22, 2004

48. (previously presented) The section claimed in claim 47 wherein said longitudinal succession of mechanically weakened areas is provided in said wall.